


FEDERAL EMERGENCY MANAGEMENT AGENCY



This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules. VATION CERTIFICA

Longport Quay, Inc.

Block 118,

10/2/21

NAME NAME 36th & Amherst Avenues,

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section-1001.

SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Computity Permit Official or a Registered Professional Engineer. PROPERTY LOCATION (Lot and Block numbers and address if available) Longport, N.J. Lot 5 (North Building)

PHONE	2	STATE	City	Atlantic (3/2/88	y	The	think	_
08401			Dover Avenue	-			100	201	SI
ZIP	100	- 14		DRESS	-		Surveyor	Land Sur	_
NO. (or Affix Seal)	28314	Assoc.	Ponzio Co. &	Arthur W.		, Jr.	. Ponzio	Arthur W.	
		One)	THE CHECK	COMPANY NAME			NAME	CERTIFIER'S NA	0
feet, (NGVD)	on is	oofed Elevati	Certified Floodpr	BOTH SECTIONS	TION II	FORXO SECTION II		THIS CERTIFICATION IS	1 -1
		9.	8 00 11110		and ALI.	V30 -AO	ZONES A. A1A30. V1-V30 AO and AH	FIRM ZONES A.	П
actual lowest floor must be	the actual	irposes and l	If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the completed and certified instead. Complete both the elevation and floodproofing certificates	Will the building be occupied as a residence? estions is YES, the floodproofing cannot be cinstead. Complete both the elevation and floo	ng be occupie the floodproplete both the	the building is YES and. Comp	both questic	the answer to be ompleted and ce	10-
ention? ? fiòud level oc- netal shields over	man interv to the base I., bolting r	of water (e.g	(Human intervention means that water will enter the building when floods up to the base flood level occur unless nieasures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows).	that water will enden prior to the flo	ention means asures are tak dows).	nan intervinless me.	j .]	
so that the building is watertight, with the capability of resisting hydrostatic pressures velocities, impact and uplift	the buildin pability of res velociti	ned so that ving the cap pths, pressur	walls substantially impermeable to the passage of water and structural components having the capability of resis and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, in YES NO In the event of flooding will this of the capability of resis and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, in the event of flooding will this of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will this depth of the capability of the flooding will the capability of the flooding will the capability of the flooding will the capability of the flood depth of the capability of the flooding will this depth of the capability of the flooding will be capability to the flooding will be capability of the flooding will be capability to the flooding will be capability the flooding will be capability to the flooding will be capability	and belief, that t water and structt hat would be cau	a, Information, le passage of buoyancy t	able to the defects of the defect of the	best of my k Illy imperment inic loads and d with the ball In the	certify to the b valls substantial nd hydrodynam orces associated YES \(\Boxed{1} \) NO	0
Architect)	ineer or A	essional Eng	CERTIFICATION (Certification by a Registered Professional Engineer or	N (Certification b	ERTIFICATIO	OFING CI	FLOODPROOFING	SECTION III	
on of	oor elevati IGVD.	the lowest fl	The elevation of the highest adjacent grade next to the building isfeet, NGVD.	The elevation of the highest adjacent grade next to the building is	est adjacent g	the high	elevation of	feet, NGVD. The	1
d above has the lowest	n describe	perty locatio xt to the build	A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described ab offeet, NGVD. The elevation of the highest adjacent grade next to the building is	AM: I certify that that the stion of the higher	ENCY PROGR	feet, N	A99, AH and	FIRM ZONES A, floor elevation of	
the lowest floor beam le at the building site	bottom of erage grad	bove has the ave	I certify that the building at the property location described above has the bottom of the at an elevation of feet, NGVD (mean sea level), and the average grade a sea an elevation of feet, NGVD.	g at the property loca feet, NGVD (feet, NGVD)	that the buildin levation of elevation of	I certify that an elevis at an elevis at an elevis	V, V1-V30:	FIRM ZONES	
or മായ്യമാറ്റ് ഉപ്പെട്ടു at the building site is at	west floor e grade at	ve has the lo	I certify that the building at the property location described above has the lowest floor at an elevation of 11.54 feet, NGVD (mean sea level) and the average grade at an elevation of 7.00+ feet, NGVD.	the property local the feet, NGVD (the building a of 7.00+	at an elevation an elevation of	A30:	THM CONE	
Professional Engineer,	a Registered	Official or a R	(Certified by a Local Community Permit Official or Architect, or Surveyor.)	nified by a Local (CATION (Ce Arci	CERTIF	-		
8194	344-8	PHONE	DATE 3/2/88	1. J.	CX 2	thur 1	Duth.	SIGNATURE	
ZIP 08401	z	STATE	City	Atlantic	VIIO	eyor	Land Surveyor	TITLE La	
re	Avenue	N. Dover	or Surveyo	NAME Arthur W. Ponzio, Jr. ADDRESS	Jr.	Ponzio,	Arthur W.	NAME Ar	
X	OF NO.	on n					Official Control	(Community F	
	fications.	NFIP Specif	E HOME MAKE MODEL YR. OF MANUFACTURE FEBRUARY FEBRUARY FOR MANUFACTURE FEBRUARY FOR MANUFACTURE FEBRUARY FOR MANUFACTURE FEBRUARY FEBRUARY FOR MANUFACTURE FEBRUARY FEBRUARY FOR MANUFACTURE FEBRUARY F	ordinance, or in c	MODEL	E Plain	MOBILE HOME MAKE	MOBIL	
	d) in com	wn (anchore	ve has been tied dov	ss described abov	d at the addre	ne locate	e mobile hor	YES NO TH	
ain management	's flood pla	community le means.	The building described above has been constructed in compliance with the community's flood plain ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community	The building described above has been constructed in compliance vordinance based on elevation data and visual inspection or other real to NO is checked, attach copy of variance issued by the community	above has bee vation data and	escribed and on eleved, attach	ie building d dinance base NO is checke	YES NO TH	
ordinance. The critic building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of	the comm sement) w	pliance with (including ba may place t	constructed in com s. The lowest floor (ing at this elevation	ordinance. The certifier may rely on community records oft, NGVD. Failure to construct the build the community's flood plain management ordinance.	may rely on control of the control o	ft, NGVE	dinance. The		
Pre-FIRM Reg	epin)	10.00	1	A-8	9/15/83	B	0001	45302	
DING IS	ELEV BUILDING	BASE FLOOD EL	DATE OF CONSTR. B	FIRM ZONE	DATE OF FIRM	SUFFIX	PANEL NO	COMMUNITY NO	
Architect, or Surveyor)	Registered	Official or a l	Community Permit	Architect, or Surveyor)	Arc				

The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent INSURANCE AGENTS MAY ORDER THIS FORM





OMB 3067-0077 Expires: Feb. 1987

LEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

vest floor beam	tom of the low pe grade at th	ove has the boti and the averag	cribed abo	cation desc D (mean se	the property locat feet, NGVD (r	building of	I certify th at an elev is at an ele	V, V1-V30:	FIRM ZONES	ו וד
and the state of t	t floor মুনুহাত্ত্বে ade at the bu	e property location described above has <i>the lowest floor പ്രൂ</i> ക്കുമുട്ടുട്ടുട്ടുട്ടു _feet, NGVD (mean sea level) and the average grade at the building site is at et, NGVD.	ped above vel) and t	tion descrit	the property local feet, NGVD (m	ilding at th	ertify that the bu an elevation of elevation of 7.	A1-A30: 1 oa at a	FIRM ZONE	77
sional Engineer,	stered Profess	(Certified by a Local Community Permit Official or a Registered Profest Architect, or Surveyor.)	Permit Of	ommunity I)	(Certified by a Local Co Architect, or Surveyor.)	CATION (Certifie Architec	CERTIFIC	ELEVATION CERTIFICATION	SECTION II	
	344-8194	PHONE	3/2/88	DATE 3/2	* DE	1 Lore	we h	Kuch	SIGNATURE	1
ZIP 08401	Z.C.	STATE N	ST	City	Atlantic	СІТҮ	Surveyor	Land Surv	TITLE L	
	Avenue	Dover	400 N.	ADDRESS	ADD	Jr.	Ponzio,	Arthur W.	NAME Ar	1
			Surveyor	chitect, or S	l Engineer, Arc	(Community Permit Official or Registered Professional Engineer, Architect, or	al or Regist	Permit Officia	(Community I	
X X		SERIAL NO	URE	YH. OF MANUFACTURE	YR. OF M	3 C C C				
with the	npliance	n (anchored) in JFIP Specificati	tied dowr	has been mpliance v	escribed above	The mobile home located at the address described above has been tied down (anchored) in compliance community's flood plain management ordinance, or in compliance with the NFIP Specifications.	me located ood plain r	Community's flo	MOBILE CO	_
nagement	ood plain mar	community's flo means.	with the c asonable	ompliance or other recommunity	nstructed in countries on the countries of the countries	The building described above has been constructed in compliance with the community's flood plain ma ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.	escribed all ed on eleva ed, attach o	ne building d dinance base NO is check	□S	
at an elevation plation of		nay place the b	evation m	ng at this el	ruct the buildir ordinance.	offt, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.	ft, NGVD.	e community	# 2	
flood plain		iance with the	in compl	onstructed	above will be c	It is intended that the building described above will be constructed in compliance with the community's ordinance. The certifier may rely on community records. The lowest floor find the community's	that the bui	is intended trdinance. The	YES NO It	
Pre-FIRM Reg	3	10.00	10		A-8	9/15/83	В	0001	345302	
	BUILDING IS	BASE FLOOD ELEV	\dashv	DATE OF CONSTR	FIRM ZONE DA	DATE OF FIRM	SUFFIX	PANEL NO	COMMUNITY NO.	
nd that any false ssional Engineer,	e. I understan	ie data availabli hfficial or a Regi	terpret th tion 1001 Permit O	offorts to in code, Sec	e represents my best e sonment under 18 U.S. (Completed by Local C Architect, or Surye√or)	statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001. SECTION ELIGIBILITY CERTIFICATION (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Suryeyor)	able by fine	the informative be punished ELIGIBILITY	SECTION I	
				ilable)	accress if ava	To and prock intilibers and address it available	9 0			
Building)	(North B	Lot 5	k 118,	Block	rt, N.J.	es, Longport, N.J	Avenues	Amherst	36th &	
				ADDRESS	ADE	2000		WNER'S	NAME	
200 16	1001			C			, Inc.	Longport Quay,	* Longpo	
		-IRM rules.	as Post-F	ings rated	*) Other buildings rated as Post-FIRM rules	2000000		3		





m FICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules. Longport Quay, Inc.

NAME 36th & Amher

Amherst Avenues,

Longport, N

ADDRESS

Block

118,

Lot 5

(North

Building)

PROPERTY LOCATION (I	thand Disale acceptance		
I certify that the information on this partition and address if available)	on this partition of the partition of th	nd address if available)	
statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001. SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Community Permit O: Architect, or Surveyor)	le by fine or imprisonm le by fine or imprisonm CERTIFICATION (Com Archi	e represents my best efforts t sonment under 18 U.S. code, (Completed by Local Commu Architect, or Surveyor)	statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001. SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)
345302 0001	B 9/15/83	FIRM ZONE DATE OF CONSTR. A-8	BASE FLOOD ELEV (In AO Zone, use depth) 10 00
5	the building double		Post-FIRM Reg
TES NO It is intended that ordinance. The configuration of the community's	It is intended that the building described above will ordinance. The certifier may rely on community reconstruct the bull of	d above will be construct nmunity records. The lostruct the building at the ordinance.	It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation offt, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.
YES NO The building des	cribed above has been on elevation data and a	The building described above has been constructed in compliance with the commu ordinance based on elevation data and visual inspection or other reasonable means If NO is checked, attach copy of variance issued by the community.	The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.
YES NO The mobile home community's floo	located at the address d plain management or	described above has be dinance, or in complian	The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.
	MODEL	YR. OF MANUFACTURE	ACTURE SERIAL NO. DIMENSIONS
NAME Arthur W. Ponzio, Jr. ADDRESS 400 N	Ponzio, Jr.	nal Engineer, Architect, ADDRESS	or Surveyor) 400 N. Dover Avenue
TITLE Land Surveyor	yor city	Atlantic City	STATE N.J. ZID 0840
1	and forming	DATE DATE	3/2/88 PHONE 344-8194
1	ERTIFICATION (Certification Archite	(Certified by a Local Communi Architect, or Surveyor.)	ELEVATION CERTIFICATION (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)
-IRM ZONE A1-A30: I cartif at an e	I certify that the building et the at an elevation of 11.54 an elevation of 7.00+	the property location describet, NGVD (mean sea feet, NGVD.	I cardify that the building at the property location described above has the lowest floor 添定成础设备设备设备设备设备设备设备设备设备设备设备设备设备设备设备设备设备设备设备
IRM ZONES V, V1-V30: 1 c at is:	ertify that the building an elevation ofat an elevation ofat an elevation of	It the property location defect, NGVD (mean feet, NGVD.	I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation offeet, NGVD (mean sea level), and the average grade at the building site is at an elevation offeet, NGVD.
IRM ZONES A, A99, AH and E	MERGENCY PROGRAM	A: I certify that the buildin on of the highest adjacer	IRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest one offeet, NGVD. The elevation of the highest adjacent grade next to the building isfeet, NGVD.
et, NGVD. The elevation of the highest adjacent grade next to the building is	e highest adjacent grad	erry location described and location describe	The elevation of the highest adjacent grade next to the building isfeet, NGVD.
ECTION III FLOODPROOFING		Certification by a Regis	CERTIFICATION (Certification by a Registered Professional Engineer or Architect)
certify to the best of my kno	best of my knowledge information ar	bolled the second	

walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift YES NO In the event of flooding will this doctor.

SIGHITH

(Human intervention means that water will enter the building when floods up to the base flood level oc-In the event of flooding, will this degree of floodproofing be achieved with human intervention?



223 1.

My 36

Jana

9

OMB 3067-0077 Expires: Feb. 1987

m D TION CI 70

C

TIFICA

ADDRESS

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules. Longport Quay, Inc.

SIGNATURE CERTIFIER'S NAME THIS CERTIFICATION IS FORX SECTION II FIRM ZONES A, A1,-A30, V1-V30, AO and AH; If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates. I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood. SECTION III FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation feet, NGVD. The elevation of the highest adjacent grade next to the building is ______feet, NGVD. FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of ______feet, NGVD. The elevation of the highest adjacent grade next to the building is ______feet, NGVD. FIRM ZONES FIRM ZONE A1-A30: SIGNATURE SECTION II US NO (Community Permit Official or Registered Professional Engineer, Architect, or Surveyor) YES Land Surveyor Arthur YES I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor) PROPERTY LOCATION (Lot and Block numbers and address if available) BUILDING OWNER'S
NAME
36th & Amherst Avenues COMMUNITY NO 345302 ON The insurance agent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent Land Arthur NO NO 🗆 ₹ The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications. The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is enecked, attach copy of variance issued by the community. It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of _______ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood prain management ordinance. FLOODPROOFING CERTIFICATION (Certification by a Registered Professional Engineer or Architect) < ELEVATION CERTIFICATION (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.) HOME MAKE Ponzio, V1-V30: PANEL NO. 0001 Athur Surveyor . In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over doors and windows). Will the building be occupied as a residence? Ponzio, I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of _______feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of _______feet, NGVD. SUFFIX ϖ DATE DATE OF FIRM Jr. 9/15/83 MODEL oskup Longport, N.J. 400 North Dover BOTH SECTIONS II AND III (Check One) ADDRESS COMPANY NAME Arthur W. FIRM ZONE Atlantic YR. OF MANUFACTURE ADDRESS DATE DATE OF CONSTR. Ponzio City Certified Floodproofed Elevation is Block Avenue 3/2/88 Co 400 N. 118, Lot BASE FLOOD ELEV (In AO Zone, use depth) ç 10.00 STATE STATE N.J. PHONE Dover SERIAL NO 5 LICENSE NO. z Avenue 344-8194 BUILDING IS (North Building) 08401 0 DIMENSIONS feet, (NGVD). Affix Seal) 08401

111.103



OMB 3067-0077 Expires Feb 1987

VATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules. Di O

Longport Quay,
BUILDING OWNER'S inc. ADDRESS 117. 11:10

certify that 36th & Amherst Avenues, Longport, N.J. Bloc PROPERTY LOCATION (Lot and Block numbers and address if available) (South Building)

Block

118

5

	M	BEDI ACES SELVE TOOLS MAY ORDER MIS FORM		מה ארום הם		A Form 81-31, SEP 85	Form
ice policy application, by the agent	o the flood insuran	copy of the completed form to the flood insurance policy to the policyholder and the third copy retained by the age	lied to the p	INSURANCE	the second copy should be supplied in INSURANCE Age	the	
344-8194	N.J.	ntic City	Atlantic	of 2/2/08	acent should	The insurance	100
PHONE	STATE		CITY	DA IE	3	1/	T
08401		ver Avenue	North Dover	00		TURE	SIGNATURE
ZIP			ADDRESS		•	land Surveyor	ָם אַר
	Assoc. 28	Ponzio Co. &	Arthur W.	A	ronzio, Jr.	=	דודנו
LICENSE NO. (or Affix Seal)			COMPANY NAME			Arthur W Do	A 5
			BOTH SECTIONS	TION II	IS FOR SEC	CEH I FICATION IS FOR SECTION II	CEBT
feet, (NGVD)	Certified Floodproofed Elevation is	Certified Flood		and AH;	30, V1-V30, AD	THIS CENTER A, A1,-A30, V1-V30, AD and AH;	
the floodproofing cannot be credited for rating purposes and the actual lowest floor must be ete both the elevation and floodproofing certificates.	purposes and the a	t be credited for rating d floodproofing certific	ofing canno elevation an	s is YES, the floodpro	questions is YES d instead. Com	ompleted and certified instead.	comp
cur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over will the building be occupied as a residence.)	hen floods up to thry of water (e.g., bo	vill enter the building whe flood to prevent ent	that water we en prior to t	ention means asures are tak dows).	cur unless measures are taken prior to the flo doors and windows). Will the building be occupied as a residence.	S O NO O	YES
walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood. YES NO In the event of flooding, will this degree of floodproofing be achieved with human intervention?	signed so that the having the capabil depths, pressures v	ermeable to the passage of water and structural components having the capability of resisting is an effects of buoyancy that would be caused by the flood depths, pressures velocities, impine base flood. In the event of flooding, will this degree of floodproofing be achieved with human interventions.	water and water and hat would b	of buoyancy t	permeable to the permeable to the sand effects the base flood. In the event of the permeable to the base flood.	substantially im ydrodynamic log s associated with S NO	walls si and hyd forces a YES
r or Architect)	ofessional Enginee	FLOODPROOFING CERTIFICATION (Certification by a Registered Professional Engineer or Archit	N (Certifica	ERTIFICATIO	DPROOFING C	SECTION III FLOOI	SEC
elevation of	as the lowest floor feet, NGVI	The elevation of the highest adjacent grade next to the building isfeet, NGVD.	rade next to	est adjacent (ation of the high	NGVD. The elevi	feet,
floor elevation offeet, NGVD. The elevation of the highest adjacent grade next to the building isfeet, NGVD. The elevation of the highest adjacent grade next to the building isfeet, NGVD.	property location de next to the building	that the building at the highest adjacent grade	AM: I certify	ENCY PROGE	AH and EMERG	or elevation of	floor
tom of the lowest floor beam le grade at the building site	d above has <i>the bott</i> el), and the averag	I certify that the building at the property location described above has the bottom of the at an elevation of feet, NGVD (mean sea level), and the average grade a is at an elevation of feet, NGVD.	g at the pro	hat the buildir vation of levation of	V1-V30: I certify at an ele is at an ele	A ZONES V, V1] <u> </u>
the lowest floor പ്രാധ്യമുട്ടു ഉടുക്കാലൂ verage grade at the building site is at	bove has the lowes and the average gr	I certify that the building at the property location described above has the lowest float an elevation of 11.61 feet, NGVD (mean sea level) and the average grade an elevation of 7.00± feet, NGVD.	t the property feet, NG feet, NGVD	the building a pon of 7.00±	20000	ZONE A1	
a Registered Professional Engineer,	it Official or a Regis	(Certified by a Local Community Permit Official or Architect, or Surveyor.)	rtified by a l hitect, or Su	CERTIFICATION (Ce	1 4	II NOI	SE SE
<u> </u>	NA	DATE 3/2/88		other	stam be	Z	SIC
J.	STATE N.	Atlantic City	A	CITY	Surveyor	Land	TITLE
r Avenue	ور ۱ North Dover	eer, Architect, or Surveyor) ADDRESS 400 N	ional Engin	stered Profes	W. Ponzio,	NAME Arthur W. Ponzio, Jr. ADDRESS	NAME
NO. DIMENSIONS	SERIAL	YH. OF MANUFACTURE		1 000			3
n compliance with the tions.	down (anchored) in	The mobile home located at the address described above has been tied down (anchored) in compliance munity's flood plain management ordinance, or in compliance with the NFIP Specifications.	ess describe ordinance,	management	nity's flood plair		
lood plain management	the community's fl nable means.	The building described above has been constructed in compliance with the community's flood plain ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked_attach copy of variance issued by the community.	en construc id visual ins ance issued	above has be verion data are copy of varion	Iding described ce based on ele checked, attac	□ĕ	YES
ed in compliance with the community's flood plain est floor (including basement) will be at an elevation elevation may place the building in violation of	compliance with the or (including baser tion may place the i	reactifier may rely on community records. The lowest floor (including basement) will the community records. The lowest floor (including basement) will ft, NGVD. Failure to construct the building at this elevation may place the building ity's flood plain management ordinance.	community construct the nent ordina	r may rely on D. Failure to o	ordinance. The certifier may rely on community reco oftt, NGVD. Failure to construct the bu the community's flood plain management ordinance.		1
Pre-FIAM Reg	10.00		A-8	9/15/83	intended that the	NO It is	<u> </u>
BUILDING IS	BASE FLOOD ELEV (In AO Zone, use depth)	E OF CONST	M FIRM ZONE	DATE OF		0	
terpret the data available. I understand that any false tion 1001. Permit Official or a Registered Professional Engineer,	ret the data availab 1001. mit Official or a Reg	code, Sec	(Completed by Local C Architect, or Surveyor)	ine or impriso	punishable by f	atement may be ECTION I ELIG	57 8 8
		ny hast affords to the	epresents n	is certificate	ייסייומניסון טון נו		2



OMB 3067-0077 Expires Feb 1987

VATION RTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

3111-8191	Z ()	antic City	Δ+13	3/7/88	; }	1/6	SIGNALORE
08401	STATE	Dover Avenue	North Do	400		Surveyor	Land Su
ZIP			ADDRE				TITLE
LICENSE NO. (or Affix Seal) 28314	& Assoc.	. Ponzio Co.	COMPANY NAME Arthur W. Por		io, Jr.	W. Ponzio	Arthur
		BOTH SECTIONS II AND III (Check One)	□ BOTH SEC	SECTION II	FOR US	ICATION IS	THIS CERTIFICATION IS FOR
n isfeet, (NGVD).	Certified Floodproofed Elevation	Certified FI		D and AH;	V1-V30, A	A, A1,-A30,	FIRM ZONES A, A1,-A30, V1-V30, AD and AH;
the actual lowest floor must be	and	doors and windows). YES NO Will the building be occupied as a residence? If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes completed and certified instead. Complete both the elevation and floodproofing certificates.	ied as a reside oofing canno e elevation ar	doors and windows). Will the building be occupied as a residence? Lestions is YES, the floodproofing cannot be complete both the elevation and floor	oors and vill the builstions is Ynstead. Co	NO W to both que nd certified in	YES If the answer completed ar
In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over	In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base floods our new floods are taken prior to the flood to prevent entry of water (e.g., bolting metal should be called the flood to prevent entry of water (e.g., bolting metal should be called to prevent entry e	of floodproofing be will enter the buildir the flood to prevent	Il this degree s that water v ken prior to t	of flooding, wi ervention mean neasures are ta	In the event of floodii (Human intervention cur unless measures	NO 0	YES 🗆
certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood.	designed so that the nts having the capat od depths, pressures	that the building is structural compone e caused by the flo	n, and belief, f water and s that would b	lge, information the passage of sof buoyancy	y knowledgy neable to the and effects base flood.	y to the best of my substantially impermy drodynamic loads a associated with the	l certify to the walls substant and hydrodyn forces associated
er or Architect)	FLOODPROOFING CERTIFICATION (Certification by a Registered Professional Engineer or Architect)	tion by a Registered	ON (Certificat	CERTIFICATIO	OOFING	- 1	SECTION III
r elevation ofVD.	FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation feet, NGVD. The elevation of the highest adjacent grade next to the building isfeet, NGVD.	ion described above the building is	roperty locati grade next to	uilding at the p ghest adjacent	that the b	AO: I certify he elevation	FIRM ZONE , feet, NGVD. T
A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest feet, NGVD. The elevation of the highest adjacent grade next to the building isfeet, NGVD.	he property location o	that the building at t highest adjacent gra	RAM: I certify vation of the h	GENCY PROGI	ind EMER	A, A99, AH a	FIRM ZONES A, A
property location described above has the bottom of the lowest floor beam feet, NGVD (mean sea level), and the average grade at the building site feet, NGVD.	bed above has <i>the bo</i> level), and the avera	erty location descri NGVD (mean sea st, NGVD.	at the	I certify that the building at an elevation ofis at an elevation ofis		3 V, V1-V30:	FIRM ZONES
I certify that the building at the property location described above has the lowest floor হাসমেজি জিউপ্তেজিক। at an elevation of 11.61feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of 7.00±feet, NGVD.	d above has the lowe.	/ location described VD (mean sea level	feet, NGVD	the building a ion of 11.61 of 7.00±	certify that an elevat elevation	A1-A30: I o	FIRM ZONE
(Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)	mit Official or a Regi	ocal Community Perveyor.)	rtified by a Lo hltect, or Sun		N CERTIF	ELEVATION CERTIFICATION	SECTION II
344-8194	פרסאה	7. tr 3/7/88	<i>)</i>	えたれ	thur 1	try()	SIGNATION
J. ZIP 08401	STATE N.J	tlantic City	Atl	CITY	eyor	Land Surveyor	
r Avenue	Surveyor) 400 North Dover	Architect, or DDRESS	onal Enginee	Permit Official or Registered Professional Engineer, ^thur W. Ponzio, Jr.	al or Regist Ponzio,	Permit Offici	(Community Ar
n compliance with the ations. NO. DIMENSIONS X	down (anchored) he NFIP Specifics SERIAL	above has been tied to in compliance with to OF MANUFACTURE	ordinance, or YR.	d at the addres management of MODEL	me locate lood plain E	ne mobile hom mmunity's flo HOME MAKE	MOBILE MOBILE
flood plain management	nity's	The building described above has been constructed in compliance with the community's ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.	visual inspec	The building described above has been ordinance based on elevation data and If NO is checked, attach copy of variances.	lescribed a ed on elev ed, attach	ne building d dinance bas NO is check	YES NO TH
community's flood plain ent) will be at an elevation uilding in violation of	that the building described above will be constructed in compliance with the community's flood he certifier may rely on community records. The lowest floor (including basement) will be at an eft, NGVD. Failure to construct the building at this elevation may place the building in violation ty's flood plain management ordinance.	be constructed in cords. The lowest flouring at this elevals.	ad above will mmunity reconstruct the bush	intended that the building described above will inance. The certifier may rely on community recoft, NGVD. Failure to construct the bucommunity's flood plain management ordinance.	hat the bue certifier ft, NGVD	intended inance. T	YES NO It is of the
Pre-FIRM Reg	10.00		A-8	9/15/83	В	0001	345302
BUILDING IS New/Emergency	BASE FLOOD ELEV. (In AO Zone, use depth)	DATE OF CONSTR.	FIRM ZONE	DATE OF FIRM	SUFFIX	PANEL NO.	COMMUNITY NO
available. I understand that any false or a Registered Professional Engineer.	erpret the data available. I unition 1001. Permit Official or a Registered	Lecrtify that the information on this certificate represents my best efforts to interpret the data statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001. SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Community Permit Official of Architect, or Surveyor)	resents my beent under 18 opleted by Loolitect, or Surve	n on this certificate replete by fine or imprisonm CERTIFICATION (Com Arch	on on this ble by find	the information by be punisha	I certify that t statement may SECTION I
n Building)	Lot 5, (South	J. Block 118, if available)	dress if	numbers	Avenu ot and BI	Amherst Avenues LOCATION (Lot and Block	
		ADDRESS		8		OWNER'S	BUILDING ON
		g			Inc.	Longport Quay	Longpo





EVATION CERTIFICA

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules. Longport Quay,

YES NO It is intended that the building described above will be constructed in compliance with the community's flood state.	345302 0001 B 9/15/83 A-8 10.00	$\overline{}$	statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001. SECTION I ELIGIBILITY CERTIFICATION (Completed by Local Compunity Permit Official or a Registered Professional Engineer Architect, or Surveyor)	Contife that the side of the s	ck 118, Lot 5	DDRESS
with the community's floor	use depth) New/Emergency Pre-FIRM Reg Post-FIRM Reg	DO ELEV BUILDING IS	available. I understand that any fals or a Registered Professional Engineer		5 (North Building)	995-197-99

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of _______feet, NGVD. The elevation of the highest adjacent grade next to the building is ______feet, NGVD. FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of ______feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of ______feet, NGVD. FIRM ZONE A1-A30: SECTION II ELEVATION CERTIFICATION (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.) NAME (Community Permit Official or Registered Professional Engineer, Architect, or Surveyor) □ S∃Y YES MOBILE HOME MAKE Arthur W. Ponzio, The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications. If NO is checked, attach copy of variance issued by the community. The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of ______ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance. Lithur 1/2 Surveyor <u>ر</u> ۲. MODEL CITY Atlantic City YR. OF MANUFACTURE 3/2/88 400 N PHONE Dover Avenue SERIAL NO 344-8194 DIMENSIONS ZIP 08401

CERTIFIER'S NAME SIGNATURE THIS CERTIFICATION IS FORX SECTION II FIRM ZONES A. A1,-A30, V1-V30, AO and AH; If the answer to both questions is YES, the floodproofing cannot be credited for rating purposes and the actual lowest floor must be completed and certified instead. Complete both the elevation and floodproofing certificates. I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift orces associated with the base flood.

YES
NO
In the event of flooding, will this degree of floodproofing be achieved with human intervention? SECTION III FLOODPROOFING CERTIFICATION (Certification by a Registered Professional Engineer or Architect) FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation feet, NGVD. The elevation of the highest adjacent grade next to the building is ______feet, NGVD. Land Surveyor Arthur W. YES [] The insurance affent should attach the original copy of the completed form to the flood insurance policy application, the second copy should be supplied to the policyholder and the third copy retained by the agent insurance AGENTS MAY ORDER THIS FORM NO [] Ponzio, In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base flood level occur unless measures are taken prior to the flood to prevent entry of water (e.g., bolting metal shields over Will the building be occupied as a residence? cur unless measures doors and windows). DATE 3/2/88 400 North Dover Avenue BOTH SECTIONS II AND III (Check One) COMPANY NAME Arthur W. Ponzio Co. Atlantic City Certified Floodproofed Elevation is _____ Assoc STATE N.J. LICENSE NO. (or Affix Seal) 344-8194 08401 -feet, (NGVD)